

Table of Contents

List of Abbreviations.....	vi
List of Tables	vii
List of Figures	viii
Chapter 1: Introduction	1
1.1 Motivation.....	1
1.2 HyperContext.....	2
1.3 Thesis overview	3
1.3.1 Chapter 2	3
1.3.2 Chapter 3	3
1.3.3 Chapter 4	4
1.3.4 Chapter 5	5
1.3.5 Chapter 6	5
1.3.6 Chapter 7	6
1.3.7 Chapter 8	6
1.3.8 Chapter 9	6
1.3.9 Chapter 10.....	6
1.4 Summary of contributions	6
Chapter 2: Background	8
2.1 Preamble	8
2.2 Searching and navigating through information spaces.....	9
2.3 Organisation of information versus meta-information	11
2.4 Information re-use	13
2.5 Navigational difficulties in an information space.....	15
2.6 Assisting navigation in a digital information space.....	17
2.7 Summary.....	18

Chapter 3: Literature Review.....	20
3.1 Introduction.....	20
3.1.1 General-purpose hypertext systems.....	20
3.1.2 General-purpose Information Retrieval systems.....	24
3.2 Towards Adaptive Hypertext Systems	26
3.3 Web-based Adaptive Hypertext Systems.....	31
3.3.1 Systems review.....	33
3.4 Reflecting short-term interests in a user model.....	38
3.5 Summary.....	40
 Chapter 4: HyperContext: A Framework for Adaptive and Adaptable Hypertext ..	42
4.1 Introduction.....	42
4.2 HyperContext: A three-layer approach	44
4.3 Interpreting information in context: the Structure and Object Layers	46
4.4 A description of HyperContext in terms of the city metaphor	54
4.5 Interacting with HyperContext: the Presentation Layer.....	56
4.6 Summary.....	59
 Chapter 5: Adaptability and Adaptivity: Putting the user in the picture	61
5.1 Introduction.....	61
5.2 User adaptation of a HyperContext hyperspace	61
5.3 A HyperContext implementation model (1).....	65
5.4 Browsing through a HyperContext hyperspace	66
5.5 Extending the metaphor	67
5.6 Adapting the hyperspace to the user	68
5.7 The TIR and IRC algorithms	71
5.7.1 Traditional Information Retrieval.....	71
5.7.2 Information Retrieval-in-Context.....	73
5.8 The short-term user model	74
5.8.1 Deriving a model of the user's interests from an interpretation	74
5.8.2 Deriving a model of the user's short-term interests from the context session	81
5.8.3 Abstracting a query from the user model.....	83
5.8.4 Openness of the short-term user model.....	83
5.9 Adaptive Information Discovery	83
5.10 Summary	84
 Chapter 6: Context and HyperContext.....	86
6.1 Introduction.....	86

6.2 Background.....	87
6.2.1 What is “context”?.....	88
6.2.2 A logic of contexts	89
6.2.3 The applications of context.....	91
6.3 Context in HyperContext.....	92
6.3.1 Interpreting information in context	92
Dynamic links	93
Arbitrary interpretations of documents	94
Favouring predetermined links and interpretations	96
6.4 The nature of context in HyperContext.....	96
6.5 Relevance and context	98
6.6 Guiding users to relevant information	100
6.6.1 Determining contextual relevance.....	100
6.6.2 Top-down versus bottom-up context resolution.....	102
6.7 Context and the short-term user model	103
6.7.1 Deriving a salient interpretation.....	103
6.7.2 Incorporating the salient interpretation into the user model.....	107
6.8 Summary	108
 Chapter 7: The HyperContext Prototype	 110
7.1 Introduction.....	110
7.2 HyperContext features included in the prototype.....	110
7.3 Prototype implementation details.....	111
7.4 The HyperContext user interface.....	112
7.4.1 The HyperContext Control Panel.....	112
7.4.2 The HyperContext Document Frame.....	113
Link hiding versus link disabling	114
7.4.3 HyperContext's "See Also" Links	115
7.4.4 HyperContext Status Information	116
7.5 HyperContext Prototype Implementation Model (2).....	117
7.5.1 Communication between modules.....	118
7.6 The HyperContext server	119
7.6.1 Interpreting a document in context	120
7.6.2 Sending a document's contexts.....	122
7.6.3 Satisfying a search request	122
Traditional Information Retrieval (TIR).....	123
Information Retrieval-in-Context (IRC).....	124
Adaptive Information Discovery (AID)	126
7.7 The HyperContext client	126

7.7.1 The context session	127
7.7.2 The short-term user model	127
7.7.3 Adaptive Information Discovery: query formulation and link recommendation.....	127
7.8 A non-adaptive version of HyperContext	128
7.9 Summary	129
Chapter 8: The Conversion of a Web Site into a HyperContext Hypertext.....	130
8.1 Introduction.....	130
8.2 Preparing the mirror site.....	131
8.2.1 The HyperContext Web Robot	131
8.2.2 Determining a document's parents	132
8.2.3 HTML file preparation for HyperContext	132
8.3 Generating the HyperContext hypertext.....	132
8.3.1 Generating the Object Layer.....	132
8.3.2 Generating the Structure Layer	133
8.4 SWISH-E: Simple Web Indexing System for Humans - Enhanced	134
8.5 The structure of the interpretations file	135
8.6 Creating the interpretations files	137
8.7 HyperContext hypertext statistics	137
Chapter 9: HyperContext Evaluation.....	140
9.1 Introduction.....	140
9.2 Background.....	140
9.3 Setting the boundaries	141
9.4 The short-term user model	142
9.4.1 Creating a test-bed.....	142
9.4.2 Automatically generating paths of traversal	146
9.4.3 Description of the experiments.....	146
9.4.4 Generating a query from the user model.....	148
9.4.5 Results.....	148
9.4.6 Prediction performance	150
9.5 Locating relevant information.....	151
9.5.1 Ideal empirical study scenario.....	151
9.5.2 Automatic evaluation of the HyperContext hypertext	152
9.5.3 Description of the experiments.....	156
9.5.4 Results.....	157
9.5.5 Breakdown of the results according to path length.....	159
9.5.6 Comparison of number of nodes visited by the different phases ...	162

9.6 Observations.....	164
9.7 Recommending documents using AID	165
Chapter 10: Conclusion and Future Work.....	172
10.1 Introduction	172
10.2 Summary of main proposals and findings.....	173
10.3 Future Work.....	176
10.3.1 Prototype implementation.....	177
10.3.2 Extensions to the HyperContext framework.....	179
Non-linear context sessions	179
Aggregate nodes	179
Link and node typing.....	180
Adaptive Presentation techniques	181
Link and interpretation ageing.....	181
Adaptive Information Discovery recommendations based on skim and deep reading.....	181
Dynamic data	182
Link hiding and link disabling.....	182
10.3.3 Other research opportunities in HyperContext	183
Efficient context expansion	183
Using adaptive methods to decide when a user model can be trusted.....	183
Ontology	183
Object migration.....	184
Automatic creation of interpretations	184
Identifying new linking opportunities	184
Using HyperContext with different external models of Information Retrieval.....	185
Alternative representations of interpretations	185
HyperContext and the Semantic Web	185
10.3.4 Research opportunities in other domains.....	188
Information Retrieval.....	188
Intelligent Agents	189
Information re-use	189
Glossary of Selected Terms.....	190
Bibliography	192

List of Abbreviations

ABF	Adaptive Brute Force (Phase 3 of the HyperContext evaluation)
AHS	Adaptive Hypertext System
AI	Artificial Intelligence
AID	Adaptive Information Discovery
AO	Adaptive Ordered (Phase 4 of the HyperContext evaluation)
CBR	Case-Based Reasoning
CGI	Common Gateway Interface
HTML	HyperText Mark-up Language
HTTP	HyperText Transfer Protocol
IDF	Inverse Document Frequency
IR	Information Retrieval
IRC	Information Retrieval-in-Context
ITS	Intelligent Tutoring System
NABF	Non-Adaptive Brute Force (Phase 1 of the HyperContext evaluation)
NAO	Non-Adaptive Ordered (Phase 2 of the HyperContext evaluation)
TF	Term Frequency
TIR	Traditional Information Retrieval
URL	Uniform Resource Locator
WWW	World Wide Web
XML	EXtensible Mark-up Language

List of Tables

5.1 Weights of terms t_0 to t_4 in interpretations I_0 to I_4 of document I	75
8.1 Number of contexts per node	138
8.2 Number of out-links per node.....	138
9.1 Comparison of probabilities of recommending an unseen letter	151
9.2 Comparison of results of ABF and NABF	157
9.3 Comparison of results of NAO and NABF.....	157
9.4 Comparison of results of AO and ABF.....	157
9.5 Comparison of results of AO and NAO.....	158
9.6 Comparison of results of AO and NABF.....	159
9.7 Comparison of results of ABF and NAO.....	159
9.8 Number of successes by phase by level depth of target node	160
9.9 Summary of the three "invalid" experiments	161
9.10 Average number of nodes visited overall by phase	162
9.11 Average number of nodes visited in each phase.....	162
9.12 Number of nodes at each level by hypertext	163
9.13 Average number of nodes visited during successful phase	163
9.14 Successes by phase when target is at the same level.....	164
9.15 Relevance judgements	166
9.16 A sample set evaluation log file.....	167
9.17 Aggregated results of the AID evaluation	169
9.18 Performance according to which recommended document was shown first	169
9.19 Performance according to skim or deep reading a document set	170
9.20 Performance according to skim or deep reading, and document order	170

List of Figures

3.1 A simple hypertext.....	21
3.2 Examples of navigational, index, and context-sensitive links.....	26
3.3 Examples of context-free or "See Also" links.....	28
4.1 The three layers of the HyperContext framework	45
4.2 The interpretation of node N-1.....	50
4.3 A different interpretation of node N-1.....	50
4.4 Node N-2 interpreted in the context bottom	52
4.5 The Structure and Object Layers and their interaction with the outside world..	53
4.6 A context session without the user's visit to N3 in the context (N2, L2).....	57
5.1 Partial implementation model of HyperContext.....	65
6.1 Siblings	101
7.1 The HyperContext user interface	112
7.2 The HyperContext Control Panel.....	112
7.3 Recommended links in an interpreted document are shown as HCTr buttons	114
7.4 The "See Also" References floating window.....	116
7.5 The HyperContext Status window	116
7.6 Implementation model of the HyperContext prototype.....	117
7.7 A typical conversation between a HyperContext client and server.....	121
7.8 An HTML file fragment before (a) and after (b) it is interpreted.....	122
7.9 Example TIR results.....	123
7.10 Example IRC results displayed in the Document Frame.....	125
8.1 Dividing an HTML file into blocks.....	134

8.2 A SWISH-E decoded index file structure.....	136
9.1 The characters "A" (a) and "E" (b) shown divided into 15 regions (c), (d) ..	143
9.2 Example nodes and links to letters interpreted in context	144
9.3 "t" is accessible from "c" only when "c" is accessed in the context of "a"....	145
9.4 The weights for "-" (value 3 in the numeric string representation)	146
9.5 Results in raw figures	149
9.6 Results in percentage terms.....	149
9.7 Locating a target node.....	154
9.8 Difference between pure and hybrid depth-first searches.....	155
9.9 Effect of link deletion during the conversion process	160